TECHNICAL FACT SHEET | HERBICIDE



POWERFUL, BROAD-SPECTRUM **CONTROL OF ANNUAL BROADLEAF WEEDS**

Argos herbicide delivers superior preemergence and postemergence control of annual broadleaf weeds across a wide variety of specialty crops, including citrus, stone fruit and tree nuts.

Argos delivers exceptional control of triazine-, glyphosate-, PPO-, and ALSresistant weed species. It provides excellent application versatility, strong tank mix compatibility and integrates seamlessly into a wide range of crop rotations.





Get better yield performance with Argos, the herbicide with a long-lasting residual and flexible application methods (ground or aerial, see label). It's also a great tank mix partner and can be used to control damaging weeds for a variety of row and specialty crops.

CROPS*

Kentucky bluegrass Alfalfa Asparagus (grown for seed) Blueberry Oats Canola Okra Citrus **Peanuts** Cranberry **Pearl Millet** Cucurbits Peas Currant Potato **Red Clover** Dry Beans Lingonberry Rhubarb Flax Rice

Ryegrass (grown for seed) Small Grain Cereals (wheat, barley, rye) Snap Beans Soybeans Sugar Beets Sugarcane Sunflowers Stone Fruit Tobacco

Tall Fescue (grown for seed) Tree Nuts

Corn

(field, seed, sweet, yellow popcorn)

Cotton Sorghum (grain, sweet)

*See label for specific crop application and rotation information

PERFORMANCE BENEFITS

- Broad-spectrum control with systemic and residual activity
- Powerful tank mix partner to boost burndown and residual
- Low use rate with excellent crop safety features











12 hours REI

PHI See label by crop

Restricted Use No

Packaging 4 x 1 gal

EPA# 74530-71

PRIMARY WEEDS CONTROLLED (OR SUPPRESSED)

Atriplex, Broadleaf Signalgrass, Buffalobur, Burcucumber, Canada Thistle, Carpetweed, Chickweed, Cocklebur, Common Sunflower, Curly Dock, Dandelion, Florida Pusley, Galinsoga, Hemp Sesbania, Horsenettle, Jimsonweed, Kochia, Lambsquarters, Large Crabgrass, Marestail, Morningglory (entireleaf, ivyleaf, pitted), Nightshade (black, eastern black, hairy), Palmer Amaranth, Pigweed (redroot, smooth, tumble), Pokeweed, Prickly Sida/Teaweed, Prostrate Knotweed, Ragweed (common, giant), Smartweed (ladysthumb, pale, Pennsylvania), Velvetleaf, Venice Mallow, Volunteer Potatoes, Waterhemp (common, tall), Wild Buckwheat, Wild Carrot, Wild Mustard, Yellow Nutsedge

Brand Name	Argos				
Category	Herbicide				
Active Ingredient	Mesotrione				
Crops	Asparagus, citrus, cranberry, bluegrass, okra, stone fruit, tree nuts and more (see label for specific crop application and rotation information)				
Site of Action	Group 27				
Formulation	Suspension concentrate				
AI/Gallon	Mesotrione 4.0 lb a.i./gal				
Applications	Preemergence Postemergence				
Rates	Preemergence: 6.0 - 7.7 fl oz/A (see label for rates by crop) Postemergence: 3.0 fl oz/A (see label for rates by crop)				
Weed Spectrum	Broadleaf species				
Signal Word	Caution				

APPLICATION RATES AND GUIDELINES

Сгор	Application Rates (fl oz/A)	Maximum Use Rate Per Year (fl oz/A)	Maximum # of Applications Per Year	Pre-Harvest Interval (days)
Citrus	3.0 - 6.0	12.0	3	1
Stone Fruit	3.0 - 6.0	12.0	3	30
Tree Nuts	3.0 - 6.0	12.0	3	30

Best control obtained from preemergence applications before germination of seed or as a postemergence application made before weeds reach 5 inches in height. Rainfall or irrigation after application will enhance preemergence activity. Apply the first application of Argos in late fall/early winter or spring and subsequent applications utilizing one of the programs noted in the table below.

Program Options	Aı	Application		
	1st Application (fl oz/A)	2nd Application (fl oz/A)	3rd Application (fl oz/A)	Interval (weeks)
#1	6.0	6.0	-	20
#2	6.0	6.0	-	6
#3	6.0	6.0	3.0	6
#4	3.0	3.0	3.0	6



For more information visit **HELMcrop.com**.

HELM Crop Solutions | 401 E. Jackson St. | Suite 1600 | Tampa, FL 33602 P: 813.621.8846 | F: 813.621.0763