




Katagon® is a powerful HPPD premix herbicide designed for flexibility and performance. With multiple modes of action, a low use rate and a wide application window, it fits seamlessly into your weed management strategy.

This co-formulation of two proven active ingredients (Tolpyralate and Nicosulfuron) delivers exceptional control of both broadleaf and grass weeds—including tough glyphosate-, PPO- and triazine-resistant species—making it a smart choice for resistance management and clean fields.

KATAGON®

Katagon can be used on field corn grown for grain, silage and seed that are herbicide-resistant and conventional or non-GMO hybrids. As a highly versatile herbicide, Katagon helps overcome resistance issues while promoting greater yield potential and grower profitability.

1-Pass Weed Control Program, Early Postemergence



Rates per acre. Katagon applications include MSO @ 1% v/v and UAN @ 2.5% v/v added. Applied to 12" tall corn.

¹ In a tank mix with Katagon, the maximum single application rate for Atrazine is 2.0 lbs/A. Do not exceed 2.5 lbs of Atrazine/A per year.

PERFORMANCE BENEFITS

- Designed to protect yield potential by controlling emerged weeds
- Advanced premix of two proven actives approved for different types of corn
- Provides grass control without the addition of glyphosate
- Provided at a convenient low use rate in fluid ounces



KATAGON®

REI	12 hours
PHI	See label by crop
Restricted Use	No
Packaging	4 x 1 gal
EPA#	71512-44-74530

CROPS

Corn

PRIMARY WEEDS CONTROLLED (OR SUPPRESSED)

Barnyardgrass, Foxtails (giant, green, yellow), Lambsquarters, Ivyleaf Morningglory, Large Crabgrass, Palmer Amaranth (amaranth spp.), Panicum, Ragweed (common, giant), Redroot Pigweed, Sorghum, Velvetleaf, Venice Mallow, Waterhemp

PLANT BACK RESTRICTIONS

Crops	Months
Corn (field, seed)	Immediate
Cereals, winter (barley, oats, rye, wheat)	4
Cereals, spring (barley, oats, rye, wheat)	8
Soybean	9
Corn (popcorn, sweet [†])	10
Dry beans, Dry peas	10
Alfalfa ^{***}	12
Red clover ^{***}	12
Sorghum ^{**}	18
All other crops	18

* Except sweet corn varieties Merit, Carnival and Sweet Success for which the minimum time interval is 15 months.

** Except in TX & OK east of Hwy 281 where the rotational interval is 10 months.

*** Except for the state of Kansas east of Highway 75, for Minnesota east and south of the Red River Valley, and for the states east of the line formed by the western borders of Iowa, Missouri, Arkansas and Louisiana, where the minimum time interval is 10 months.

PRODUCT SPECIFICATIONS

Brand Name	Katagon®
Category	Herbicide
Active Ingredient	Tolpyralate (11.72%) + Nicosulfuron (11.72%)
Crops	Corn (field, seed, silage)
Site of Action	Group 27 / Group 2
Formulation	Oil dispersion
AI/Gallon	Tolpyralate 1.0 lb a.i./gal Nicosulfuron 1.0 lb a.i./gal
Applications	Postemergence
Rates	
Used Alone	Katagon @ 2.3 - 3.4 fl oz/A (see label for rates by crop)
Tank mix	Katagon @ 2.3 - 3.4 fl oz/A + Atrazine ¹ (see label for rates by crop)
Weed Spectrum	50+ broadleaf and grass species
Signal Word	Caution

¹ In a tank mix with Katagon, the maximum single application rate for Atrazine is 2.0 lbs/A. Do not exceed 2.5 lbs of Atrazine/A per year.

TECHNICAL USE GUIDELINES

Formulation Type	Oil dispersion formulation containing 1 lb of Tolpyralate and 1 lb of Nicosulfuron of formulated product per gallon
Rate Range	2.3 to 3.4 fluid ounces per acre
Application Window	Katagon may be applied in field corn up to 20-inches tall or V5, whichever is more restrictive.
Tank Mix Guidelines	Only tank mix with herbicides registered for use in field corn.
Best Results	For best results, tank mix Katagon with Atrazine to improve postemergence efficacy, especially grass control ¹ . Use Katagon approved rates in combination with Atrazine at 0.5 to 2 lbs active ingredient per acre. Best use rate of Katagon is 3.2 fl oz/A combined with recommended Atrazine rate for control of emerged weeds. Apply up to 12-inch tall corn.
Adjuvant Recommendation	Always use a MSO, COC or NIS for optimal performance. MSO is recommended for the most consistent performance.
Use with Insecticides	Katagon may be tank mixed with pyrethroid or carbamate insecticides.

¹ In a tank mix with Katagon, the maximum single application rate for Atrazine is 2.0 lbs/A. Do not exceed 2.5 lbs of Atrazine/A per year.



For more information, visit HELMcrop.com.

HELM Crop Solutions | 401 E. Jackson St. | Suite 1600 | Tampa, FL 33602
P: 813.621.8846 | F: 813.621.0763

Always read and follow label directions. ATRAZINE IS A RESTRICTED USE PESTICIDE. Katagon® is an invention and registered trademark of Ishihara Sangyo Kaisha, Ltd., and is manufactured and developed by ISK Biosciences Corporation. HELM® is a registered trademark of HELM AG. ©2025 HELM Agro US, Inc.

Katagon_Fact Sheet